March 1, 2015 – March 31, 2015







March 1, 2015 - March 31, 2015

TABLE OF CONTENTS

1.	PSAP Operations	4
	9-1-1 Call Volume – March 2015	
	9-1-1 Call Volume – Calendar Year 2015	
	Psap operation notes:	
	Fyifor your information	
	Wireless PSAP TESTING – March 2015	6
	Notes:	6
2.	MSAG (master street address guide)	7
	Current Month – March 2015	7
	Msag current month notes:	7
	ALI TRANSACTIONS CURRENT MONTH – MARCH 2015	8
	Ali Transactions current month notes:	8
	open discrepancy records Status:	8
	Ali transactions Year-to-Date (YTD) Summary – 2015	9
	TNCR (Telephone Number Change Request) Current Status – March, 2015	10
	NOTE:	10
3.	Geographic Information System (GIS) – March 2015	11
	Mapping Layers Updated (Part I)	11
	Mapping Layers Updated (Part II)	12
	Mapping Layers Updated (Part III)	13
	Mapping Layers Updated (Part IV)	14
	Mapping Layers Updated (Part V)	15



March 1, 2015 - March 31, 2015

Mapping Layers Updated (Part VI)	16
Mapping Layers Updated (Part VII)	17
Note:	18
Geographic Information System (GIS) Narratives	18
GIS Key Activities/Updates	18
Police Beat 453	19
Bridges:	19
MapFlex Deployment:	20
MapFlex Deployment: continued	21
4. Service requests Transactions	22
Open Service Requests – March 2015	22
Note:	22
Service Request Year-to-Date (YTD) Summary – 2015	22
Note:	22
5. E9-1-1 DATABASE SYNCHRONIZATION	23
Audit Summary Results – TBA	23
Audit Summary Results – January 1, 2015 MSAG VS. aPRIL 1, 2015 - tba	23
Invalid MSAG Streets and Address Ranges – ESN x99 Records - TBA	23
Automatic Location Identification (ALI) Discrepancy Report - TBA	23



March 1, 2015 - March 31, 2015

1. PSAP OPERATIONS

9-1-1 CALL VOLUME - MARCH 2015

(Source: Intrado Viper)


	9-1-1 Call Volume																
KAUAI PSAP		Wire	eline	Wireless		VOIP Calls With			Admin Calls		Abandoned Calls		Other Calls				
2015	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other	% of Total Calls
MAR	4,365	715	16.38%	2,823	64.67%	46.33%	53.67%	154	3.53%	15	0.34%	0	0.00%	658	15.07%	0	0.00%

9-1-1 CALL VOLUME - CALENDAR YEAR 2015

							9-1	-1 Call	Volum	ie							
KAUA	I PSAP	Wireline		Wireless		VC	VOIP		Calls with No ALI		Calls		doned alls	Other Calls			
2015	Total 9-1-1 Calls Processed	No. of Wireline Calls	% of Total Calls	No. of Wireless Calls	% of Total Calls	% of Wireless WPH1 Calls	% of Wireless WPH2 Calls	No. of VoIP Calls	% of Total Calls	No. of Calls with No ALI		No. of Admin Calls	% of Total Calls	No. of 9-1-1 Abandoned	% of Total Calls	Other	% of Total Calls
JAN	5,155	790	15.32%	3,349	64.97%	48.40%	51.60%	176	3.41%	21	0.41%	0	0.00%	819	15.89%	0	0.00%
FEB	4,738	706	14.90%	3,102	65.47%	50.06%	49.94%	129	2.72%	27	0.57%	0	0.00%	774	16.34%	0	0.00%
MAR	4,365	715	16.38%	2,823	64.67%	46.33%	53.67%	154	3.53%	15	0.34%	0	0.00%	658	15.07%	0	0.00%
APR																	
MAY																	
JUNE																	
JULY																	
AUG																	
SEPT																	
ОСТ																	
NOV																	
DEC																	
YTD	14,258	2,211		9,274				459		63		0		2,251		0	
MON AVG	4,753	737	15.53%	3,091	65.04%	48.27%	51.73%	153	3.22%	21	0.44%	0	0.00%	750	15.77%	0	0.00%

PSAP OPERATION NOTES:


- Abandoned Calls represent the number of incoming 9-1-1 calls for which the caller had hung up before a call-taker answered. Dropped Calls are hang ups after transfers.
- Abandoned Calls are not included in the total Wireline and Wireless counts respectively.
- All VoIP (Voice over Internet Protocol) type of 911 calls is combined in the Call Volume statistic.
- *Calls with no Ali 0.34% Statewide average = 0.11%



March 1, 2015 - March 31, 2015

FYI.....FOR YOUR INFORMATION

	FYI	For You	r Information								
MOBI PCS is in the process of decommissioning their radio network (Cell Towers) statewide.											
All 911 calls origina	All 911 calls originating from Mobi customers will be on the Sprint PCS Network										
	Database Synchron	ization (MSAG d	atabase vs GIS database)								
County	As of (Date)	Percentage %									
Hawaii County	February 1, 2015	99.14%									
Kauai County	January 1, 2015	99.90%									
Maui County	March 1, 2015	100.00%									
•											
Oahu Civilian	January 1, 2015	99.70%									
Statewide Average March 1, 2015 99.69%											
*Statewide average of the Database Synchronization between the MSAG and GIS Database = 99.69%											
NENA's recommended match rate for Next Generation implementation is 98%.											
* Statewide averages	does not include the Mili	tary databases.									



March 1, 2015 - March 31, 2015

WIRELESS PSAP TESTING - MARCH 2015

	KAUAI COUNTY - MARCH 2015										
Date	WSP	Sites Tested	Sectors Tested	Tested By:	Test Pass/Fail	Comments:					
3/10/2015	Verizon	1	1	Kauai PSAP	Pass	Kalaheo Site					

NOTES:

• There was one (1) scheduled Wireless 911 test for the month of March 2105.



March 1, 2015 - March 31, 2015

2. MSAG (MASTER STREET ADDRESS GUIDE)

CURRENT MONTH - MARCH 2015

KAUAI			9-1	I-1 NET F	REQUEST	S			
COUNTY	MSAG TRANSACTIONS								
2015	Total Change Combined Delete Insert Split				Split	Customer Addresses Affected			
MARCH	3	0	0	3	0	0	35		

MSAG CURRENT MONTH NOTES:

A total of thirty-eight (38) MSAG transactions were processed in 9-1-1 Net during the month of March 2015. Three (3) requests were processed relating to the MSAG database, and thirty-five (35) requests relating to the ALI database (see ALI Transaction chart on next page). There were 35 customer ANI/ALI (telephone/address) records updated as a direct result.

KAUAI	9-1-1 NET REQUESTS									
COUNTY	MSAG TRANSACTIONS									
2015	Total	Change	Combined	Delete	Insert	Split	Customer Addresses Affected			
JAN	9	7	0	1	1	0	116			
FEB	88	77	2	1	2	6	1,064			
MAR	3	0	0	3	0	0	35			
APR										
MAY										
JUNE										
JULY										
AUG										
SEPT										
OCT										
NOV										
DEC										
TOTAL YTD	100	84	2	5	3	6	1,215			
AVG PER MONTH	33	28	1	2	1	2	405			



March 1, 2015 - March 31, 2015

ALI TRANSACTIONS CURRENT MONTH – MARCH 2015

KΔ	UAI	9-1-1 NET REQUESTS									
cou	_	ALI TRAN	SACTIONS SU	JBMITTED	Open Discrepancy Records as of Report Month End						
2015	TOTAL	TN CR (A)	ALI-DR (B)	VoIP DR (C)	TN CR	ALI-DR	VoIP DR				
MAR	35	35	0	0	227	0	0				

Definitions

- (A) **T**elephone **N**umber **C**hange **R**equest Represents address corrections on a specific TN or group of TNs. These "invalid" TNs usually have an associated ESN 499 attached to them which indicates the need for validation.
- (B) **A**utomatic **L**ocation **I**nformation **D**iscrepancy **R**ecord Represents an address discrepancy discovered during a live 9-1-1 call, from a landline. These record corrections are treated with a higher priority and should be processed within 48 hours as a general guideline.
- (C) Voice over Internet Protocol Discrepancy Record Represents an address discrepancy discovered during a live 9-1-1 call, from a VoIP phone. These record corrections are treated with a higher priority and should be processed within 72 hours as a general guideline per Time Warner Operations Center. MSR tracking effective April 2014.

ALI TRANSACTIONS CURRENT MONTH NOTES:

Thirty-five (35) Telephone Number Change Requests (TN CR) transactions were processed with MSAG valid addresses, as a result of the ESN 299 clean-up effort. There were no ALI Discrepancy Requests (ALI DR) processed in 9-1-1 Net.

OPEN DISCREPANCY RECORDS STATUS:

- There are 227 Open TN CR Transactions as of March 31, 2015
- Refer to chart in the next section "TNCR Current Status"

The Open TN CR transactions are a direct result of the ESN 499 clean-up and are awaiting approval from Hawaiian Telcom, Inc. Akimeka continues to monitor and track the progress of the Referred records. Once a telephone number is submitted to Intrado for correction, it must be verified against HT records and/or approved by the customer. Intrado's internal process requires calling each telephone customer individually for approval to update an address in the 9-1-1 database.

Page 8 of 23


March 1, 2015 - March 31, 2015

There are no Open ALI-DRs as of March 31, 2015

There are no Open VoIP DRs as of March 31, 2015

ALI TRANSACTIONS YEAR-TO-DATE (YTD) SUMMARY – 2015

KAI	IAI		9	-1-1 NET RE	QUESTS			
	COUNTY		SACTIONS SU	JBMITTED	Open Discrepancy Records as of Report Month End			
2015	TOTAL	TN CR	ALI-DR	VoIP DR	TN CR	ALI-DR	VoIP DR	
JAN	69	69	0	0	201	0	0	
FEB	2	2	0	0	211	211	0	
MAR	35	35	0	0	227	0	0	
APR								
MAY								
JUNE								
JULY								
AUG								
SEPT								
ОСТ								
NOV								
DEC								
TOTAL YTD	106	106	0	0				
AVG PER MONTH	35	35	0	0				



March 1, 2015 - March 31, 2015

TNCR (TELEPHONE NUMBER CHANGE REQUEST) CURRENT STATUS - MARCH, 2015

NOTE:

- 9-1-1 NET is a secure web-based application that provides access to request changes to the MSAG, ALI, TN, and ESN/ELT data supported and maintained by Intrado for the Telephone Company (TelCo).
- TNCRs are not requests to change Telephone Numbers (TNs); however, it is a corrective process within 9-1-1 NET to modify location information associated with an Automatic Location Identification (ALI) record to a valid MSAG address for 9-1-1 purposes.

	PSAP 9-1-1 Telephone Number Location Change Request (Telephone Number Change Request (TNCR) Status)									
PSAP	TOTAL TNCR RECORDS SUBMITTED BY AKIMEKA	OPENED TNCRS PENDING FURTHER ACTION BY INTRADO	OPENED TNCRS REFERRED TO TELCO BY INTRADO	TOTAL UNOPENED TNCR RECORDS						
KAUAI	227	28	53	146						

STATUS

TOTAL TNCRs SUBMITTED - The total number of TNCR requests for modification that have been submitted in 9-1-1 NET. **PENDING STATUS** - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and are pending investigation whether the request is valid or invalid, and/or whether the request requires additional information to validate.

<u>REFERRED STATUS</u> - TNCRs assigned this status are requests which have been reviewed by the 9-1-1 Database Service Provider Data Analyst, and the request requires additional information to validate. The Intrado Data Analysts assigns this status to a TNCR and the request is referred to the telephone service providers for further research.

TOTAL UNOPENED TNCR RECORDS STATUS - The request is submitted by Akimeka on behalf the PSAP; however, processing by the 9-1-1 Database Service Provider Data Analyst has not begun.

Kauai County March 2015



March 1, 2015 - March 31, 2015

3. GEOGRAPHIC INFORMATION SYSTEM (GIS) – MARCH 2015

MAPPING LAYERS UPDATED (PART I)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

		KA	UAI COUNTY				
Type of Layer	Akimeka GIS Server	Date GIS	Other/Remarks				
Type of Layer	Date Created/ Edits Performed	Delivered					
	CRITICAL 9-1-	1 PUBLIC SAFE	TY LAYERS FOR DISPATCH & RESPONSE				
		(Liste	d Alphabetically)				
	3/31/2015		Spatially corrected four (4) address points (4255, 4259, 4273 and 4287 Holoikalapa St) in Anahola.				
	3/31/2015		Added nine (9) address points in Anahola.				
	3/31/2015		Spatially corrected one (1) address point (2304 Wiliko St) in Lihue.				
	3/31/2015		Added seven (7) address points in Lihue.				
	3/31/2015		Added two (2) address points (2232 Pane Rd and 2232 Pane Rd A) in Poipu.				
	3/30/2015		Added ten (10) address points in Princeville.				
		03/26/15					
	3/26/2015		Added one (1) address point (3633 Anini Rd) in Princeville.				
	3/26/2015		Spatially corrected five (5) address points in Puhi.				
	3/26/2015		Added six (6) address points in Puhi.				
	3/25/2015		Spatially corrected five (5) address points in Wailua.				
	3/25/2015		Added thirteen (13) address points in Wailua.				
	3/25/2015		Added one (1) address point (9635 Huakai Rd) in Waimea.				
	3/25/2015		Spatially corrected five (5) address points in Waipouli.				
	3/25/2015		Added six (6) address points in Waipouli.				
	3/19/2015		Spatially corrected one (1) address point (2700 Ke Alaula St) in Kukuiula.				
	3/19/2015		Added eleven (11) address points in Lihue.				
Address Points	3/19/2015		Added sixteen (16) address points in Kukuiula.				
	3/17/2015		Corrected routing id to eight (8) address points in Kilauea.				
	3/16/2015		Added sixteen (16) address points in Kukuiula.				
	3/13/2015		Spatially corrected one (1) address point (40350 Kuhio Hwy) in Wailua.				
	3/13/2015		Added three (3) address points (6889 Kawaihau Rd, 4589 Koa St and 5231 Kuau Rd) in Kapaa.				
		03/12/15	, , , , , , , , , , , , , , , , , , , ,				
	3/12/2015		Added two (2) address points (4791 Kanaele Rd and 6272 Kawaihau Rd) in Kapaa.				
	3/6/2015		Spatially corrected one (1) address point (5586 Kaehulua Rd) in Kapaa.				
	3/6/2015		Added one (1) address point (3800 Kuiloa Rd) in Hanapepe.				
	3/6/2015		Added twenty-six (26) address points in Kalaheo.				
	3/6/2015		Added three (3) address points (4600 Hauaala Rd, 5411 Kaapuni Rd and 5570 Kaehulua Rd) in Kapaa.				
	3/6/2015		Added one (1) address point (3334 Kalihiwai Rd) in Princeville.				
	3/4/2015		Added one (1) address point (4211 Anahola Rd) in Anahola.				
	3/4/2015		Corrected address to one (1) address point (4435 Alamoo Rd) in Haena.				
	3/4/2015		Added one (1) address point (505190 Kuhio Hwy) in Hanalei.				
	3/2/2015		Corrected routing id to fifteen (15) address points in Kilauea.				
	3,2,2010		25.15155 . Sulling to to this off (10) addition points in Midded.				

Kauai County March 2015

March 1, 2015 - March 31, 2015

MAPPING LAYERS UPDATED (PART II)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	KAUAI COUNTY						
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date GIS Delivered	Other/Remarks				
	CRITICAL 9-1-1 PUBLIC SAFETY LAYERS FOR DISPATCH & RESPONSE (Listed Alphabetically)						
Airports							
Bridges							
Building Footprints							
Bus Stops							
Churches							
Coastal Names							
Coastline							
Common Places							
Correctional Facilities							
Emergency Callboxes							
Emergency Operation Centers							
Emergency Shelters							

March 1, 2015 - March 31, 2015

MAPPING LAYERS UPDATED (PART III)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	KAUAI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date GIS Delivered	Other/Remarks			
	CRITICAL 9-1-		Y LAYERS FOR DISPATCH & RESPONSE I Alphabetically)			
ESZ/ESN						
Fire Beats						
Fire Districts						
Fire Response Areas						
Fire Stations						
Food & Beverage						
Gas Stations						
Gate Codes						
Government Buildings						
Harbors						
Helipads						

Kauai County

March 1, 2015 - March 31, 2015

MAPPING LAYERS UPDATED (PART IV)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY							
Type of Layer	Akimeka GIS Server Date GIS Date Created/ Edits Performed Delivered		Other/Remarks				
	CRITICAL 9-1-		Y LAYERS FOR DISPATCH & RESPONSE I Alphabetically)				
Hiking Trails							
Hospitals							
Hydrants							
Hyrdology Layers: Dams Ponds Streams Waterfalls							
Incident Response Areas							
Lodging							
Major Roads							
Medic Beats							
Medic Districts							
Medic Response Areas							
Medic Stations							



March 1, 2015 - March 31, 2015

MAPPING LAYERS UPDATED (PART V)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY							
Type of Layer	Akimeka GIS Server	Date GIS	Other/Remarks				
Type of Layer	Date Created/ Edits Performed	Delivered	O CHOLI INCIRRI INC				
	CRITICAL 9-1-		TY LAYERS FOR DISPATCH & RESPONSE d Alphabetically)				
Medical Facilities							
Milepost Markers							
MSAG Communities	3/6/2015		Corrected boundary to two (2) MSAG Communities (Kalihiwai and Princeville).				
Net Junctions							
Ocean Rescue							
Boundaries							
Ocean Safety							
Parcels							
Parks							
Parks Polygon							
		03/26/15					
	3/17/2015		Spatially corrected two (2) points of interest (Anahola Hawaiian Homes Park and Mahina Kai) in Anahola.				
Points of Interest	3/17/2015		Corrected address to two (2) points of interest (Eleele Elementary and Eleele Elementary Shelter) in Eleele.				
	3/17/2015		Spatially corrected two (2) points of interest (Eleele Elementary and Eleele Elementary Shelter) in Eleele.				



March 1, 2015 - March 31, 2015

MAPPING LAYERS UPDATED (PART VI)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

KAUAI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date GIS Delivered	Other/Remarks		
	CRITICAL 9-1-		IY LAYERS FOR DISPATCH & RESPONSE and Alphabetically)		
	3/17/2015		Spatially corrected thirteen (13) points of interest in Kalaheo.		
Points of Interest	3/17/2015		Spatially corrected seven (7) points of interest in Puhi.		
Points of Interest	3/17/2015		Corrected address to one (1) point of interest (YMCA) in Puhi.		
		03/12/15			
Police Beats					
Police Districts					
Police Response Areas					
Police Stations					
Post Offices					
Schools					
	3/31/2015		Corrected range to two (2) street segments of Kamane Rd in Anahola.		
	3/30/2015		Spatially corrected seven (7) street segments in Moloaa.		
	3/30/2015		Added one (1) segment of Koolau Rd and split one (1) segment of Koolau Rd in Moloaa.		
	3/27/2015		Spatially corrected three (3) street segments (two segments of Koolau Rd and one segment of Kuhio Hwy) in Moloaa.		
Street Centerlines		03/26/15			
	3/17/2015		Spatially corrected one (1) street segment of Kolo Rd in Kilauea.		
	3/17/2015		Added one (1) segment of Kolo Rd and split one (1) segment of Kolo Rd in Kilauea.		
	3/17/2015		Added one (1) segment of Wailapa Rd and split one (1) segment of Wailapa Rd in Kilauea.		
	3/17/2015		Added two (2) street segments of Kolo Rd in Kilauea.		

Page 16 of 23

March 1, 2015 - March 31, 2015

MAPPING LAYERS UPDATED (PART VII)

The 9-1-1 GIS layers provided by Akimeka to the PSAP are designed for use on E9-1-1 and NG9-1-1 systems.

	KAUAI COUNTY					
Type of Layer	Akimeka GIS Server Date Created/ Edits Performed	Date GIS Delivered	Other/Remarks			
	CRITICAL 9-1-	1 PUBLIC SAFET	TY LAYERS FOR DISPATCH & RESPONSE			
			d Alphabetically)			
		03/12/15				
	3/6/2015		Spatially corrected one (1) street segment of Kalihiwai Rd in Princeville.			
Street Centerlines	3/6/2015		Spatially corrected one (1) street segment of Kalihiwai Rd in Kalihiwai.			
	3/2/2015		Spatially corrected fifty-two (52) street segments in Kilauea.			
	3/2/2015		Added one (1) street segment and split one (1) street segment in Kilauea.			
Subdivisions						
Tow Jurisdictions						
Tsunami Evacuation						
Zones						
Zones						
Tsunami Heights						
Waste Water Plants						
	- 1- 11- 1-					
	3/31/2015		Per ATT CRS			
	-//	03/26/15				
WSP Cell Sectors	3/16/2015		Per ATT CRS			
	3/13/2015	00//0//5	Per VZW CRS			
	0/04/0045	03/12/15	D ATT 000			
	3/31/2015	00/00/45	Per ATT CRS			
WOD C 11 T	0/40/0045	03/26/15	Dec ATT ODG			
WSP Cell Towers	3/16/2015		Per ATT CRS			
	3/13/2015	02/42/45	Per VZW CRS			
		03/12/15				

Kauai County



March 1, 2015 - March 31, 2015

NOTE:

- The Parcels layer is provided by Kauai County. Akimeka performs edits on the spatial information of the layer for 9-1-1 purposes. Changes to the attribute table are made when needed. The Parcels layer uploaded to the PSAP GIS server is intended for 9-1-1 purposes only and should not be disseminated to other county agencies.
- Every time the GIS Update tool is used, Indexes and Cache have to be built. The Positron system configurator is adjusted every time a layer is loaded in the PowerMap database. Each PSAP position is updated accordingly.

GEOGRAPHIC INFORMATION SYSTEM (GIS) NARRATIVES

GIS KEY ACTIVITIES/UPDATES

GIS Key activities include the events such as GIS deliverables, meetings, agreements, etc.

Date	Key Activities/Updates
3/26/2015	Performed Powermap update which included: Address Points, Street Centerlines, WSP Cell Sectors, WSP Cell Towers and Points of Interest.
3/26/2015	Address Points, Street Centerlines, Geofile for Street Centerlines, Points of Interest, Geofile for Points of Interest, Geofile for IRA, WSP Cell Sectors and WSP Cell Towers to GeoComm.
3/17/2015	Address Points, Street Centerlines, Geofile for Street Centerlines, Points of Interest, Geofile for Points of Interest, Geofile for IRA, WSP Cell Sectors and WSP Cell Towers to GeoComm.
3/12/2015	Performed Powermap update which included: Address Points, Street Centerlines, WSP Cell Sectors, WSP Cell Towers and Points of Interest.



March 1, 2015 - March 31, 2015

POLICE BEAT 453

During the month of June 2014, per special request of the Kauai Police Department, Akimeka began creating Police Beat 453.

1. Throughout July 2014, Akimeka completed the draft boundary for Police Beat 453 based on the boundary descriptions provided by the Kauai Police Department.

2.

- During this process, the boundaries for Police Beats 450, 456 and 556 were modified to accommodate for the new Police Beat 453.
- b. Two (2) maps were created by Akimeka in July detailing the boundary of the new Police Beat and provided to the Kauai Police Department for their review and approval.
- 3. In August 2014, the maps previously provided to the Kauai Police Department were reviewed. It was decided that based on the complexity of the CAD configurations for a new beat implementation, the Kauai Police Department would assess the level of effort needed for finalizing the change. Also, after review by the Kauai Police Department, it was determined that there were minor boundary updates that needed to take place.
- 4. In December 2014, two (2) more maps were created by Akimeka detailing the boundary updates of the new Police Beat and were provided to the Kauai Police Department for their review. Akimeka also researched how many telephone numbers would be affected by the required changes due to the addition of four (4) new ESNs so that coordination with the telephone service providers could begin.
- 5. In February 2015, approval was finalized from the Kauai Police Department and coordination with the telephone service providers was completed. The Police Beats layer and the affected ESN and IRA layers, as well as necessary changes to the Street Centerlines layer and MSAG Databases, were completed and the changes were uploaded into PowerMap and made available to the dispatchers and was also delivered to the FTP site to be used in the GeoComm system.
- 6. During March 2015, Akimeka added a Description field to the IRA layer and modified the GeoLynx DMS configuration so that the xml file for the IRA would include populated Description and Tract attribute fields. The DMS configuration modifications also populated the ESN and Internal ESN attribute fields for the xml files for the Street Centerlines and Points of Interest.

BRIDGES:

During the month of September 2014, per special request of the Kauai Fire Department, Akimeka began updating the Bridges layer with weight limits to be used in their MDTs Map.

- 1. During September 2014, Akimeka began updating the weight limits to the Bridges layer based on county and state databases provided by the Kauai Fire Department.
 - a. During this process, bridges were added to the layer to make the layer as comprehensive as possible. Spatial corrections were made and weight limits were added to the attributes as well as Fire Beats, Fire Response Areas, Height Limitations and Date Updated.
 - b. Akimeka is currently awaiting finalized information from the County regarding the weight attribute fields and weight measurement scales as well as information on any other attributes that should be included in the Bridges layer.
 - c. The updates to the Bridges layer will be completed as soon as Akimeka receives the finalized information and will be uploaded into PowerMap and be available to the dispatchers as well as be delivered to the FTP site to be used in the GeoComm system at that time.

Page 19 of 23

Kauai County March 2015

March 1, 2015 - March 31, 2015

MAPFLEX DEPLOYMENT:

As Kauai County and Intrado continued to move forward with the deployment of the new MapFlex mapping system to replace the current PowerMap, forward movement with the project took place during the month of February 2015.

- 1. In order to proceed with the system configuration by Intrado for MapFlex, the GIS data for Kauai County was requested by Intrado in order to perform validation prior to the installation. As a means of safeguarding the proprietary content of the GIS data, a Non-Disclosure Agreement (NDA) was initiated by Akimeka in May 2014 with guidance and approval from the Kauai County Police Department.
 - a. The NDA serves as the agreement among the County and vendors.
 - i. Kauai County Police Department, Akimeka, Intrado, and Hawaiian Telcom
 - b. The initial NDA had been coordinated between Kauai County and Akimeka in May 2014 and was pending Intrado's approval until it was signed on December 5, 2014.
 - c. Once the final signatures were received by the Kauai County Police Department, Akimeka proceeded with providing the GIS data to Intrado for the data assessment.
- 2. On January 7, 2015, Akimeka provided the GIS data needed to perform the data assessment by Intrado prior to moving forward with the MapFlex system.
 - a. On January 9, 2015, Akimeka received the evaluations from Intrado regarding the data assessment that was performed.
 - i. The results of the assessment were that there were no mandatory corrections required of the GIS data provided by Akimeka.
 - Recommended corrections that were provided were valid exceptions that were not discrepancies in the GIS data.
 - iii. As a result of the good quality of the GIS data, Intrado decided to move forward with their implementation schedule.
- 3. During the month of January, 2015, Intrado continued with their MapFlex implementation.
 - a. There were no further requests for GIS data for Akimeka from Intrado.
 - No status on the establishment of the secure FTP site and new GIS data upload procedures were communicated by Intrado.

During the month of February 2015, Akimeka coordinated with the Kauai Police Department for final approval of GIS layers to be provided for the MapFlex system.

- 1. On February 6, Akimeka prepared a total of thirty-seven (37) GIS layers to be delivered to Intrado for configuration and implementation in the MapFlex system. The GIS layers that were provided include all of the displayed GIS layers currently within the PowerMap.
 - a. Akimeka delivered the GIS data layers to Intrado's temporary FTP site as a means of getting the data updated in the MapFlex.
- 2. On February 5, 2015, prior to the delivery of GIS data, Akimeka received confirmation from Intrado that the FTP site used for this delivery was a temporary site and the MapFlex secure FTP was not established yet.
- 3. On February 7, 2015, Intrado requested that if Akimeka had specific symbology for the PSAPs they were interested in using, they should send it to Intrado to use for MapFlex.
 - (a) Akimeka replied that the specific symbology should be customized with each of the PSAPs and their operations in mind. Akimeka does not have a preference on which colors the symbology is displayed and relayed to Intrado that it would be best to involve the PSAPs in the configuration process.
- 4. On February 23, 2015, Intrado notified Akimeka that they were moving forward with the new MapFlex FTP site and requested that Akimeka send a "sample" map update for one of the sites they are working on; Hawaii, Maui, or Kauai.



March 1, 2015 - March 31, 2015

MAPFLEX DEPLOYMENT: CONTINUED

- (a) Akimeka attempted to connect using the provided IP address and was unable to gain access.
- (b) Akimeka followed up with Intrado to request additional connection information with ports, and ftp credentials. In addition, Akimeka requested additional information on the delivery processes associated with MapFlex, such as:
 - (i) Does each delivery within MapFlex require a complete refresh or only updated layers?
 - (ii) Are there specific file names and locations needed to pull updates?
 - (iii) What is the update process that takes place within MapFlex?
 - (iv) Is there a specific time the update takes place?
 - (v) What is the notification processes that the updates were successful?
 - (vi) What is the test/validation processes the PSAP should be informed of?
 - (vii) How are discrepancies reported in the procedure and to whom?
- 5. On February 25, 2015, Akimeka was invited to join a conference call with staff from Intrado qualified to help answer questions and to gain access to the new MapFlex secure FTP site.
 - (a) Intrado's Sr. Systems Administrator provided information on ports and credentials that were required to get access.
 - (b) Little information was provided during the conference on the specific operations that take place within the MapFlex in order to pull updates, however it was replayed that there will be an automated delivery process where a script will identify when new GIS layers are placed on the secure FTP site. Once the layers are identified as new, the layers will be pulled from the FTP site, a simple validation process ran, and placed on the MapFlex server where it will then be pushed to the workstation. There is currently no automation on notifications and no procedure on reporting discrepancies. There is a roll back procedure if there are errors that are identified in the GIS data. The MapFlex will hold onto 5 sets of data. If there is an issue that is identified, the data can be rolled back manually. Currently there is no automation with this.
- 6. Subsequent to the conference call, Akimeka attempted to connect to the secure FTP site on February 25, 2015, and was unsuccessful.
 - (a) After additional coordination with Intrado's Sr. System Administrator, Akimeka was able to gain access on February 26, 2015.
- 7. On February 26, 2015, Akimeka successfully delivered the same updated GIS layers for the MapFlex system via new secure FTP site, that were included in the February 25, 2015 deliverable for PowerMap.
 - (a) This ensures that if the GIS data delivered for MapFlex is made available to dispatch, it will be consistent with the PowerMap.
- 8. During the month of March 2015, there were no new reports on the status of MapFlex.
 - (a) Akimeka was prepared to provide updated GIS data once confirmation is made that Intrado's delivery system is working properly and configured.

March 1, 2015 - March 31, 2015

4. SERVICE REQUESTS TRANSACTIONS

OPEN SERVICE REQUESTS - MARCH 2015

#	Date	Ticket #	Description	Category	Urgency	Comments
			None			

NOTE:

There are no open service requests for March 2015.

SERVICE REQUEST YEAR-TO-DATE (YTD) SUMMARY – 2015

	SERVICE REQUEST CATEGORIES						
2015	TOTAL		0	911	Мар	MSAG	
2015	Created	Closed	Open	Created	Closed	Created	Closed
2014 Carryover*			0				
January	0	0	0	0	0	0	0
February	0	0	0	0	0	0	0
March	0	0	0	0	0	0	0
April							
May							
June							
July							
August							
September							
October							
November							
December							
TOTAL	0	0	0	0	0	0	0

NOTE:

- *The 2014 Carryover row indicated the number of Service Requests that remained opened in 2014.
- Detailed information on service tickets is available upon request.

	Category	Description		
<u>Definitions:</u>	911 Map	Mapping computer not functioning or displaying properly.		
	MSAG	Discrepancies with 9-1-1 MSAG addresses		

March 1, 2015 - March 31, 2015

5. E9-1-1 DATABASE SYNCHRONIZATION

(<u>Reference:</u> NENA 71-501, Version 1.1 – NENA Information Document for Synchronizing Geographic Information System databases with MSAG & ALI)

Next Database Synchronization Report – April 2015

AUDIT SUMMARY RESULTS - TBA

AUDIT SUMMARY RESULTS - JANUARY 1, 2015 MSAG VS. APRIL 1, 2015 - TBA

INVALID MSAG STREETS AND ADDRESS RANGES - ESN X99 RECORDS - TBA

AUTOMATIC LOCATION IDENTIFICATION (ALI) DISCREPANCY REPORT - TBA

Page 23 of 23